ELSEVIER

Neuroscience Letters 324 (2002) 261–263

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 324

Volume 324, no. 1

Guidelines for the submission of manuscripts v

The 5-HT_4 receptor-induced depolarization in rat hippocampal neurons is mediated by cAMP but is independent of I_h
E.M. Chapin, S. Haj-Dahmane, G. Torres, R. Andrade (USA) 1

Orexin-1 receptor immunoreactivity in chemically identified target neurons in the rat hypothalamus
R. Suzuki, H. Shimojima, H. Funahashi, S. Nakajo, S. Yamada, J.-L. Guan, S. Tsurugano, K. Uehara, Y. Takeyama, S. Kikuyama, S. Shioda (Japan) 5

Synaptic association of dopaminergic axon terminals and neurokinin-1 receptor-expressing intrinsic neurons in the striatum of the rat
J.-L. Li, T. Kaneko, N. Mizuno (People's Republic of China, Japan) 9

Induction of tyrosine hydroxylase expression in rat fetal striatal precursor cells following transplantation
Z. Tang, Y. Yu, H. Guo, J. Zhou (PR China) 13

The effects of probability and relative direction on human somatomotor electroencephalographic rhythms
K. McDowell (USA) 17

Centrifugal neurons of the octopus optic lobe cortex are immunopositive for calcitonin gene-related peptide
H. Suzuki, T. Yamamoto (Japan) 21

Huperzine A, a nootropic agent, inhibits fast transient potassium current in rat dissociated hippocampal neurons
Y. Li, G.-Y. Hu (PR China) 25

A -174G/C polymorphism of the interleukin-6 gene in patients with lacunar infarction
M. Revilla, V. Obach, Á. Cervera, A. Dávalos, J. Castillo, Á. Chamorro (Spain) 29

Expression, proteolysis and activation of caspases 6 and 7 during rat C6 glioma cell apoptosis
R. Meller, S.L. Skradski, R.P. Simon, D.C. Henshall (USA) 33

Neuronal differentiation of cultured human NTERA-2cl.D1 cells leads to increased expression of synapsins
F. Leypoldt, M. Flajolet, A. Methner (Germany, USA) 37

The decline in serum choline concentration in humans during and after surgery is associated with the elevation of cortisol, adrenocorticotropic hormone, prolactin and β-endorphin concentrations
Y. Özarda İlçöl, G. Özyurt, S. Kılıcturgay, G. Uncu, İ.H. Ulus (Turkey) 41

Immobilization stress induces the expression of αB-crystallin in rat hippocampus: implications of glial activation in stress-mediated hippocampal degeneration
S.-J. Yun, D.-H. Hahm, E.H. Lee (South Korea) 45

Unaltered brain levels of 1,N^2-propanodeoxyguanosine adducts of *trans*-4-hydroxy-2-nonenal in Alzheimer's disease
M.E. Götz, M. Wacker, C. Luckhaus, P. Wanek, T. Tatschner, K. Jellinger, F. Leblhuber, G. Ransmayr, P. Riederer, E. Eder (Germany, Austria) 49

Increased cortical expression of the orexin-1 receptor following permanent middle cerebral artery occlusion in the rat
E.A. Irving, D.C. Harrison, A.J. Babbs, A.C. Mayes, C.A. Campbell, A.J. Hunter, N. Upton, A.A. Parsons (UK) 53

14-3-3 in the cerebrospinal fluid of patients with variant and sporadic Creutzfeldt–Jakob disease measured using capture assay able to detect low levels of 14-3-3 protein
A.J.E. Green, S. Ramljak, W.E.G. Müller, R.S.G. Knight, H.C. Schröder (UK, Germany) 57

Roles of the central prostaglandin EP3 receptors in cardiovascular regulation in rats
H. Ariumi, Y. Takano, A. Masumi, S. Takahashi, Y. Hirabara, K. Honda, R. Saito, H.-o. Kamiya (Japan) 61

Changes in $[Ca^{2+}]_i$ during adenosine triphosphate-induced synaptic plasticity in hippocampal CA1 neurons of the guinea pig
Y. Yamazaki, S. Fujii, T. Nakamura, H. Miyakawa, Y. Kudo, H. Kato, K.-I. Ito (Japan) 65

Medullary adrenergic neurons contribute to the neuropeptide Y-ergic innervation of hypophysiotropic thyrotropin-releasing hormone-synthesizing neurons in the rat
G. Wittmann, Z. Liposits, R.M. Lechan, C. Fekete (Hungary, USA) 69

Apolipoprotein E genotype does not predict decline in intelligence in healthy older adults
N. Pendleton, A. Payton, E.H. van den Boogerd, F. Holland, P. Diggle, P.M.A. Rabbitt, M.A. Horan, J. Worthington, W.E.R. Ollier (UK) 74

Apolipoprotein E4 and tau allele frequencies among Choctaw Indians
J.N. Henderson, R. Crook, J. Crook, J. Hardy, L. Onstead, L. Carson-Henderson, P. Mayer, B. Parker, R. Petersen, B. Williams (USA) 77
Cortical neurons of Creutzfeldt–Jakob disease patients express the urokinase-type plasminogen activator receptor
M.H. Deininger, K. Trautmann, V. Magdolen, T. Luther, H.J. Schluesener, R. Meyermann (Germany) 80
Cerebrospinal fluid 24S-hydroxycholesterol is increased in patients with Alzheimer's disease compared to healthy controls
P. Schönknecht, D. Lütjohann, J. Pantel, H. Bardenheuer, T. Hartmann, K. von Bergmann, K. Beyreuther, J. Schröder (Germany) 83

Erratum 86

Volume 324, no. 2

Effects of noradrenaline on cytosolic concentrations of Ca^{2+} in cultured corpus cavernosum smooth muscle cells of the rabbit
M. Sato, M. Kawatani (Japan) 89
Focal encephalitis in the Lewis rat induced by intracerebral enterotoxin superantigen and amplified by activated intravenous splenocytes
M.E. Kornhuber, C. Ganz, R. Lang, T. Brill, W. Schmahl (Germany) 93
Effect of repeated administration of morphine on the activity of extracellular signal regulated kinase in the mouse brain
M. Narita, M. Ioka, M. Suzuki, M. Narita, T. Suzuki (Japan) 97
Gene expression of D-amino acid oxidase in cultured rat astrocytes: regional and cell type specific expression
Y. Urai, O. Jinnouchi, K.T. Kwak, A. Suzue, S. Nagahiro, K. Fukui (Japan) 101
Decreased hemispheric Aquaporin-4 is linked to evolving brain edema following controlled cortical impact injury in rats
K.L. Kiening, F.K.H. van Landeghem, S. Schreiber, U.W. Thomale, A. von Deimling, A.W. Unterberg, J.F. Stover (Germany, USA) 105
Neurofibrillary tangles in elderly patients with late onset schizophrenia
V.P. Bozikas, E. Kövari, C. Bouras, A. Karavatos (Greece, Switzerland) 109
A polymorphism within intron 11 of the tau gene is not increased in frequency in patients with sporadic Alzheimer's disease, nor does it influence the extent of tau pathology in the brain
E.K. Green, U. Thaker, A.M. McDonagh, T. Iwatsubo, J.-C. Lambert, M.-C. Chartier-Harlin, J.M. Harris, S.M. Pickering-Brown, C.L. Lendon, D.M.A. Mann (UK, Japan, France) 113
Inhibition of glial glutamate transporter GLT-1 augments brain edema after transient focal cerebral ischemia in mice
S. Namura, H. Maeno, S. Takami, X.-F. Jiang, S. Kamichi, K. Wada, I. Nagata (Japan) 117
The interplay between theta and alpha oscillations in the human electroencephalogram reflects the transfer of information between memory systems
P. Sauseng, W. Klimesch, W. Gruber, M. Doppelmayr, W. Stadler, M. Schabus (Austria) 121
A new pneumatic vibrator for functional magnetic resonance imaging of the human sensorimotor cortex
S.M. Golaszewski, F. Zschiegner, C.M. Siedentopf, J. Unterrainer, R.A. Sweeney, W. Eisner, S. Lechner-Steinleitner, F.M. Mottaghy, S. Felber (Austria, Germany) 125
Intensification of the development of ethanol dependence in mice lacking dopamine D_1 receptor
M. Narita, M. Soma, H. Tamaki, M. Narita, T. Suzuki (Japan) 129
Japanese encephalitis virus stimulates superoxide dismutase activity in rat glial cultures
S.-L. Liao, S.-L. Raung, C.-J. Chen (Taiwan) 133
Adenosine 5′-triphosphate-evoked calcium responses in terminal Schwann cells of lanceolate sensory endings isolated from rat vibrissae
H. Takahashi-Iwanaga, Y. Habara (Japan) 137
A highly conserved tryptophane residue indispensable for cloned rat neuronal P2X receptor activation
K. Nakazawa, H. Ojima, Y. Ohno (Japan) 141
Modification of a fiber protein in an adenovirus vector improves in vitro gene transfer efficiency to the mouse microglial cell line
N. Omori, H. Mizuguchi, K. Ohsawa, S. Kohsaka, T. Hayakawa, K. Abe, F. Shibasaki (Japan) 145
Noradrenergic receptors and in vitro respiratory rhythm: possible interspecies differences between mouse and rat neonates
V. Jean-Charles, H. Gérard (France) 149
Metabotropic glutamate mGlu5 receptor-mediated modulation of the ventral striopallidal GABA pathway in rats. Interactions with adenosine A_{2A} and dopamine D_2 receptors
Z. Díaz-Cabiale, M. Vivó, A. Del Arco, W.T. O'Connor, M.K. Harte, C.E. Müller, E. Martínez, P. Popoli, K. Fuxe, S. Ferré (Sweden, Spain, Ireland, Germany, Italy, USA) 154
Interactions between evening and nocturnal cortisol secretion and sleep parameters in patients with severe chronic primary insomnia
A. Rodenbeck, G. Huether, E. Rüther, G. Hajak (Germany) 159
Ion channels activated by cold and menthol in cultured rat dorsal root ganglion neurones
G. Reid, M.-L. Flonta (Romania) 164

Volume 324, no. 3

Hypocretin is an early member of the incretin gene family
C.E. Alvarez, J.G. Sutcliffe (USA) 169

Trapping-induced changes in expression of the *N*-methyl-D-aspartate receptor in the hippocampus of snowshoe hares
R. Boonstra, N. Takagi, N. Bissoon, S. Vij, J.W. Gurd (Canada) 173
Gabapentin potentiates *N*-methyl-D-aspartate receptor mediated currents in rat GABAergic dorsal horn neurons
Y. Gu, L.-Y.M. Huang (USA) 177
Propofol facilitates the development of long-term depression (LTD) and impairs the maintenance of long-term potentiation (LTP) in the CA1 region of the hippocampus of anesthetized rats
H. Wei, W. Xiong, S. Yang, Q. Zhou, C. Liang, B.X. Zeng, L. Xu (PR China) 181
Amyloid precursor protein processing is separately regulated by protein kinase C and tyrosine kinase in human astrocytes
C. Kim, C.H. Jang, J.H. Bang, M.W. Jung, I. Joo, S.U. Kim, I. Mook-Jung (South Korea) 185
Influence of the apolipoprotein E ε4 allele on human embryonic development
H. Zetterberg, M. Palmér, A. Ricksten, J. Poirier, L. Palmqvist, L. Rymo, A. Zafiropoulos, D.A. Arvanitis, D.A. Spandidos, K. Blennow (Sweden, Canada, Greece) 189
Stimulatory and inhibitory effects of 5-HT_{1A} receptors on adrenocorticotropic hormone and cortisol secretion in a teleost fish, the Arctic charr (*Salvelinus alpinus*)
E. Höglund, P.H.M. Balm, S. Winberg (Sweden, The Netherlands) 193
Comparison of the effect of intrathecal endomorphin-1 and endomorphin-2 on spinal cord excitability in rats
S. Grass, I.S. Xu, Z. Wiesenfeld-Hallin, X.-J. Xu (Sweden) 197
Nitric oxide in the penumbra of a focal cortical necrosis in rats
M. Stoffel, M. Rinecker, R. Graf, A. Baethmann, N. Plesnila (Germany) 201
Modulation of slow cortical potentials by transcranial magnetic stimulation in humans
A. Kübler, K. Schmidt, L.G. Cohen, M. Lotze, S. Winter, T. Hinterberger, N. Birbaumer (Germany, Ireland, USA, Italy) 205
Drebrin, a dendritic spine protein, is manifold decreased in brains of patients with Alzheimer's disease and Down syndrome
K.S. Shim, G. Lubec (Austria) 209
Stochastic resonance in human electroencephalographic activity elicited by mechanical tactile stimuli
E. Manjarrez, O. Diez-Martínez, I. Méndez, A. Flores (México) 213
The endoplasmic reticulum is the main site for caspase-3 activation following aluminum-induced neurotoxicity in rabbit hippocampus
O. Ghribi, M.M. Herman, J. Savory (USA) 217
Intralesion transplantation of serotonergic precursors enhances locomotor recovery but has no effect on development of chronic central pain following hemisection injury in rats
B.C. Hains, J.A. Yucra, M.J. Eaton, C.E. Hulsebosch (USA) 222
Evidence for in vivo production of Humanin peptide, a neuroprotective factor against Alzheimer's disease-related insults
H. Tajima, T. Niikura, Y. Hashimoto, Y. Ito, Y. Kita, K. Terashita, K. Yamazaki, A. Koto, S. Aiso, I. Nishimoto (Japan) 227
Modulatory effects of ketamine on catecholamine efflux from in vivo cardiac sympathetic nerve endings in cats
H. Kitagawa, T. Yamazaki, T. Akiyama, N. Yahagi, T. Kawada, H. Mori, K. Sunagawa (Japan) 232
Theiler's virus infection induces the expression of cyclooxygenase-2 in murine astrocytes: inhibition by the anti-inflammatory cytokines interleukin-4 and interleukin-10
E. Molina-Holgado, A. Arévalo-Martín, S. Ortiz, J.M. Vela, C. Guaza (Spain) 237
Attenuated drinking response induced by angiotensinergic activation of subfornical organ projections to the paraventricular nucleus in estrogen-treated rats
J. Tanaka, K. Kariya, H. Miyakubo, K. Sakamaki, M. Nomura (Japan) 242
Anatomical evidence of subcortical contributions to the orientation selectivity and columns of the cat's primary visual cortex
X. Zhan, T. Shou (China) 247
Release patterns of excitatory and inhibitory amino acids within the hypothalamic supraoptic nucleus in response to direct nitric oxide administration during forced swimming in rats
M. Engelmann, G. Wolf, T.F.W. Horn (Germany) 252
Erratum to "Axonal connections of thalamic posterior paralaminar nuclei with amygdaloid projection neurons to the cholinergic basal forebrain in the rat" [Neurosci. Lett. 315 (2001) 121–124]
E. Wilhelmi, R. Linke, A.D. de Lima, H.-C. Pape (Germany) 255

Author Index to Volume 324 256
Contents to Volume 324 261
Contents continued 264

Contents continued from back cover

Release patterns of excitatory and inhibitory amino acids within the hypothalamic supraoptic nucleus in response to direct nitric oxide administration during forced swimming in rats
M. Engelmann, G. Wolf, T.F.W. Horn (Germany) 252
Erratum to "Axonal connections of thalamic posterior paralaminar nuclei with amygdaloid projection neurons to the cholinergic basal forebrain in the rat" [Neurosci. Lett. 315 (2001) 121–124]
E. Wilhelmi, R. Linke, A.D. de Lima, H.-C. Pape (Germany) 255

Author Index to Volume 324 256
Contents to Volume 324 261
Contents continued 264